



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

with a lesser Globe included, in order to make that inner Globe capable of being inhabited, there might not improbably be contained some luminous *Medium* between the Balls, so as to make a perpetual Day below. That very great Tracts of the Etherial Space are occupied by such a shining *Medium* is evident from the Instances given in the first Paper of this *Transaſtion*: And if ſuch a *Medium* ſhould be thus incloſed within us; what ſhould hinder but we may be allowed to ſuppoſe that ſome parts of this lucid Subſtance may, on very rare and extraordinary Occaſions, tranſude through and penetrate the *Cortex* of our *Earth*, and being got looſe may afford the Matter whereof this our *Meteor* conſiſts. This ſeems favoured by one conſiderable Circumſtance, *viz.* that the *Earth*, becauſe of its diurnal Rotation, being neceſſarily of the Figure of a Flat *Spheroid*, the thickneſs of the *Cortex*, in the *Polar* Parts of the Globe, is conſiderably leſs than towards the *Equator*; and therefore more likely to give Paſſage to theſe Vapours; whence a reaſon may be given why theſe Lights are always ſeen in the North. But I deſire to lay no more ſtreſs upon this Conceit than it will bear.

It having been noted that in the Years 1575 and 1580, wherein this Appearance was frequent, that it was ſeen not far from the Times of the two Equinoxes; it may be worth while for the Curious, to beſtow ſome Attention on the Heavens in the Months of *September* and *October* next; and in caſe it ſhould again happen, to endeavour to obſerve, by the Method I have here laid down, what may determine, with ſome degree of Exactneſs, the Diſtance and Height thereof; without which we can ſcarce come to any juſt Concluſion.

F I N I S.

*Errata.* No. 346. p. 383. l. 18. read 234. p. 408. l. 20.  
read, proceed, as at firſt.